

Click here for PDF version:



MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF PRODUCT

TRADE NAME:	AB-617
PRODUCT NUMBER:	BLS-908616 AV ITEM: 311-08-362 (ref.)
WHMIS CLASS:	NOT CONTROLLED
DESCRIPTION:	STYRENE BUTADIENE RUBBER
PRODUCT USE:	LEADER SHEET PACKING
TRANSPORT:	NOT REGULATED
HMIS CODE:	HEALTH () FIRE () REACTIVITY () SPECIFIC () 0:Minor 1:Light 2:Moderate 3: High 4: Dangerous
SUPPLIER:	American Biltrite (Canada) Ltd 200, Bank Street, Sherbrooke, Québec, Canada J1H 4K3 EMERGENCY PHONE NUMBER: (819) 829-3300

SECTION 2: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	# CAS	%	T.L.V.	LD50
PHTHALIC ANHYDRIDE	85-44-9	0.1 - 1.0	1ppm	4 020 mg/kg (oral-rat)
CRYSTALLINE SILICA QUARTZ	14808-60-7	0.1 - 1	0.05 mg / m ³	7 950 mg/kg (oral-rat)
CARBON BLACK	1333-86-4	3 - 7	3.5 mg / m ³	>8 000 mg/kg (oral-rat)
TETRAMETHYL THIURAM DISULFIDE	137-26-8	0.1 - 1.0	1 mg / m ³	1 080 mg/kg (oral-rat)
KAOLIN	1332-58-7	10 - 30	10 mg / m ³	N/D

SECTION 3: PHYSICAL PROPERTIES

APPEARANCE AND ODOUR:	Black solid material, rubber odour.
BOILING POINT (°C):	N/A
SPECIFIC GRAVITY (H₂O=1):	1.48 (approx.)
VAPOUR DENSITY (Air=1):	N/A
MELTING POINT (°C):	N/D
EVAPORATION RATE:	N/A
SOLUBILITY IN WATER (%):	Insoluble.
VOLATILE MATTER (% Vol.):	N/D
VAPOUR PRESSURE (mm of Hg):	N/A
PH:	N/D

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE:	YES ()	NO (x)
IF YES, IN WHICH CONDITIONS:		
FLASH POINT (°C):	N/D	
METHOD:	N/D	
AUTO-IGNITION TEMPERATURE (°C):	N/A	
FLAMMABLE LIMITS (% VOL. IN AIR):		
LOWER LIMIT: N/D	UPPER LIMIT:	N/D
EXTINGUISHING MEDIA:		
WATER SPRAY (x)	WATER FOG ()	CARBON DIOXIDE ()
FOAM (x)	DRY CHEMICAL (x)	
OTHERS ()		
SPECIAL FIRE FIGHTING PROCEDURES:		
Wear adequate respiratory protection.		
UNUSUAL FIRE AND EXPLOSION HAZARDS:		
Fire hazard when exposed to flame. Thermal degradation produces flammable hydrocarbon. Molten		

product causes burn when in contact with skin. Dense smoke, explosions hazard with the flammable substance released.

SECTION 5: REACTIVITY DATA

STABILITY:	UNSTABLE ()	STABLE	(x)
CONDITIONS TO AVOID:	N/D		

HAZARDOUS POLYMERIZATION:	MAY ()	WILL NOT	(x)
	OCCUR	OCCUR	
CONDITIONS TO AVOID:	N/D		

INCOMPATIBILITY (materials to avoid): N/D

WATER ()	BASE ()	OXIDIZING AGENTS ()
ACID ()	CORROSIVE ()	
OTHERS ()		

HAZARDOUS DECOMPOSITION PRODUCTS:

May emit oxides of carbon, sulfur and hydrocarbons.

SECTION 6: PREVENTIVE MEASURES

VENTILATION:

When heated provide adequate ventilation t